

## SAFETY DATA SHEET

This SDS complies with REACH 1907/2006 and 2001/58/EC, GHS REVISION 5, OSHA 29CFR 1910.1200

## **Section 1: Chemical Product and Company Identification**

MANUFACTURER'S NAME EMERGENCY TELEPHONE

 IXL Technologies LLC
 Chemtrec U.S.-Canada:
 800-424-9300

 2719 N. Parkland Blvd
 Chemtrec International:
 703-527-3887

 Pleasant View, Utah 84404
 Emergency:
 801-458-1589

 Information:
 801-732-8885

 Fax:
 801-731-4499

Safety Data Sheet Competent Person: Jordan Olsen Jordan.olsen@ixldirect.com

DATE PREPARED: September 15, 2015 **REVISION DATE: September 15, 2015** 

PRODUCT NAME: IXL Manual Transmission Treatment

FORMULA: Preparation/Mixture

PRODUCT USE: Transmission treatment additive to reduce part wear, heat and friction

### **Section 2: Hazards Identification**



**GHS Hazard Class** 

Carcinogenicity - Category 1B

Aspiration toxicity - Category 1

Signal word: Danger/Warning

Hazard Statement: H304: May be fatal if swallowed and enters airways

H350: May cause cancer

Precautionary Statements: Prevention P201: Obtain special instructions before use

P264: Wash hands thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/face protection

P261: Avoid breathing dust/fume/gas/mist/vapors/spray P270: Do not eat, drink or smoke when using this product

Response P332+P313: If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308 + P310 + P311: If exposed or concerned immediately call a POISON CENTER or doctor/physician

if you feel unwell.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P330: Rinse mouth

Storage P405: Store locked up

Disposal P501: Dispose of contents/container in accordance with waste disposal requirements of your country,

state, or local authorities

Hazards not otherwise classified (HNOC) or not covered by GHS - None

HAZARD CLASSIFICATION: Not classified as hazardous based on IATA, IMDG, and DOT.

FIRE AND EXPLOSION: Combustible

Product emits toxic fumes when burned.

POTENTIAL HEALTH EFFECTS: <1 % of mixture consists of ingredients of unknown acute toxicity

APPEARANCE: Amber

NFPA Rating:

Component	Health	Flammability	Reactivity	Special
	(Blue)	(Red)	(Yellow)	(White)
IXL Engine Treatment	2	1	0	



## Section 3: Composition, Information on Ingredients

PRODUCT COMPOSITION	APP- ROX	CAS NO.	EC NO.	CANADA DSL
Non-hazardous and other components below reportable levels (TS)	30-50			
Distillates (petroleum), hydrotreated light paraffinic	20-30	64742-55-8	265-158-7	Y
Residual oils (petroleum), solvent-dewaxed	15-25	64742-62-7	265-166-0	Y
Distillates (petroleum), solvent-dewaxed heavy paraffinic	5-15	64742-65-0	265-169-7	Y

Some items on this SDS may be designated as trade secrets (TS). Bonafide requests for disclosure of trade secret information to medical personnel must be made in accordance with the provisions contained in 29 CFR 1910.1200 I 1-13.

### **Section 4: First Aid Measures**

### **Description of First Aid Measures**

Inhalation Remove to fresh air. If not breathing, provide CPR (cardio pulmonary

resuscitation). Get immediate medical attention.

Skin Contact Immediately wash skin with plenty of soap and water for at least 15 minutes.

Remove contaminated clothing.

Eye Contact Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate

medical attention.

Ingestion If swallowed do not induce vomiting, give large quantities of water to drink. Never

give anything to an unconscious person. Get immediate medical attention.

#### Most important symptoms and effects, both acute and delayed

Symptoms/Injuries after Inhalation May cause respiratory tract irritation. If material enters lungs, signs and symptoms

May cause skin irritation.

May cause eye irritation.

may include coughing, choking, wheezing, difficulty in breathing, chest

congestion, shortness of breath, and/or fever

Symptoms/Injuries after Skin Contact Symptoms/Injuries after Eye Contact

Symptoms/Injuries after Ingestion May be harmful if swallowed. Symptoms might include nausea, vomiting and/or

diarrhea.

#### Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately.

# **Section 5: Fire-fighting Measures**

Suitable extinguishing media Special hazards arising from the substance or mixture

Protective actions fire-fighters

**Further information** 

Use water spray, foam, dry powder, carbon dioxide, dry sand. Hazardous combustion products may include a complex mixture of airborne solid and liquid particulates and gases (smoke), carbon monoxide, and unidentified inorganic and organic compounds Wear standard protective equipment and self contained breathing

apparatus for firefighting if necessary.

Use water spray to cool unopened containers.



### **Section 6: Accidental Release Measures**

#### Personal precautions, protective equipment, and emergency procedures

Wear proper personal protective equipment.

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Prevent spills or contaminated rinse water from entering sewers or watercourses.

#### Methods and materials for containment and cleaning up

In case of small spills, absorb with inert materials such as earth or dry sand. Place in a chemical waste container. In case of large spills, dike the spill, if possible. Call emergency services. Absorb the chemical.

Reference to other Sections For personal protection reference section 8. For disposal reference section 13.

## Section 7: Handling and Storage

#### Precautions for safe handling

Wear proper protective equipment when handling this material.

Avoid contact with skin or eyes.

Wash hands after handling this material.

Appropriate container should be used for disposal.

For precautions see section 2.

#### Conditions for safe storage, including any incompatibilities

Keep containers sealed until ready for use.

Store in mild streel or high density polyethylene.

Do not store in PVC.

Avoid excessive long-term storage temperatures to prolong shelf life. Maximum storage temperature: 122°F.

Store in well ventilated areas.

Store upright in a cool, dry place.

Utilize chemical segregation.

Store separately from oxidizing agents.

Follow all applicable local regulations for handling and storage.

### Specific uses

This product is intended to be an engine additive to reduce part wear, heat and friction.

## **Section 8: Exposure Controls/Personal Protection**

#### **Control Parameters**

PRODUCT	ACGIH	OSHA	NIOSH
COMPOSITION	TLV	PEL	REL
Mineral Oil (petroleum) Mist	5.0 mg/m <sup>3</sup>	5.0 mg/m <sup>3</sup>	5.0 mg/m <sup>3</sup>

### **Exposure controls**

VENTILATION: Always provide good general, mechanical room ventilation where this

chemical/material is used.

RESPIRATORY PROTECTION: Follow the OSHA respirator regulations found in 29 CFR 1910.134. Use a

NIOSH/MSHA approved respirator if exposure limits are exceeded or if irritation

or other symptoms are experienced.

PROTECTIVE GLOVES: Neoprene, butyl, or nitrile rubber gloves are recommended. EYE PROTECTION: Recommend eye protection using safety glasses or goggles.

SKIN PROTECTION: Suitable protective clothing to prevent skin contact WORK/HYGIENE PRACTICES: Avoid contact with eyes. Wash hands after handling.

OTHER EQUIPMENT: Make safety shower, eyewash stations, and hand washing equipment available in

the work area.

Product: IXL Manual Transmission Treatment SDS Page 3 of 6



# **Section 9: Physical and Chemical Properties**

	PRODUCT CRITERIA
APPEARANCE - COLOR:	Amber
PHYSICAL STATE:	Liquid
ODOR:	Mild aromatic hydrocarbon
ODOR THRESHOLD	Data not available
PH	N/A
FLASH POINT:	>200 °C (400 °F) Method C.O.C (Combustible IIIB)
LOWER EXPLOSIVE LIMIT; UPPER EXPLOSIVE LIMIT	Data not available
FLAMMABILITY (Solid, gas)	Data not available
EXPLOSIVE PROPERTIES	Not classified
OXIDIZING PROPERTIES	No data available
SPECIFIC GRAVITY (@25 °C):	1.05-1.3
EVAPORATION RATE:	No data available
% VOLATILE by VOLUME	No data available
PARTITION COEFFICIENT	No data available
AUTO IGNITION TEMPERATURE	No data available
DECOMPOSITION TEMPERATURE	No data available
BOILING POINT:	No data available
MELTING POINT:	No data available
VAPOR PRESSURE	No data available
VAPOR DENSITY (AIR = 1)	No data available
SOLUBILITY IN WATER:	No data available
VISCOSITY	No data available

# **Section 10: Stability and Reactivity**

Reactivity: Reacts with strong oxidizers. Chemical Stability:

Stable under recommended conation.

Possibility of Hazardous Reactions: Will not occur under normal temperatures and pressures. Conditions to Avoid: Heat, direct sunshine, sparks, and other sources of ignition.

Incompatibility (Materials to Avoid): Strong oxidizing agents, heat, open flame.

Hazardous Decomposition Products:

# **Section 11: Toxicological Information**

GHS Required Criteria	Toxicity Criteria	Toxicity Information	Comments	Chemical Constituent
Acute Toxicity	LC50 (Inhalation/Rat):	3.9 mg/l	Classification not possible due to a lack of data	Distillates (petroleum), hydrotreated light paraffinic
Skin Corrosion/Irritation	Data not available			
Serious Eye Damage / Eye Irritation	Data not available			
Respiratory or Skin Sensitization		Data not available		
Germ Cell Mutagenicity		Data not available		
Carcinogenicity	NTP	Not listed		
	IARC	Suspected of causing cancer (dependent on level of refinement)	Highly refined mineral oils Category 3, and untreated and mildly treated mineral oils into Category 1	Distillates (petroleum), hydrotreated light paraffinie
		May cause cancer	Category 1B	Distillates



				(petroleum), solvent- dewaxed heavy paraffinic
		May cause cancer	Category 2	Residual oils (petroleum), solvent-dewaxed
	OSHA	Not listed		
Reproductive Toxicity		Data not available		
STOT Single Exposure		Data not available		
STOT – Repeated Exposure		Data not available		
Aspiration Hazard	May be fatal if swallowed and enters airways		Category 1	Distillates (petroleum), hydrotreated light paraffinic

STOT = Specific Target Organ Toxicity

## **Section 12: Ecological Information**

Chemical Constituent

Toxicity:	No information available	
Persistence and degradability:	No information is available.	
Bioaccumulative potential	No information is available.	
Mobility in soil:	No information is available.	
PBT and vPvB assessment:	BT and vPvB assessment:  PBT/vPvB assessment not available as chemical assessment not required/not conducted	
Other adverse effects:	No information is available.	

## **Section 13: Disposal Considerations**

Waste from residues/unused products: Follow the waste disposal requirements of your country, state, or local authorities.

Contaminated packaging: Contaminated packaging material should be disposed of as stated above for residues and unused product.

Rinsate: Do not dispose of rinse water containing product in a sanitary sewer system or stormwater drainage system.

# **Section 14: Transport Information**

 DOT TRANSPORT:
 Not Regulated

 ADR = International Carriage of Dangerous Goods by Road
 Not Regulated

 RAIL TRANSPORT:
 IMDG
 Not Regulated

 SEA TRANSPORT:
 IATA/ICAO
 Not Regulated

 AIR TRANSPORT:
 IATA/ICAO
 Not Regulated

# **Section 15: Regulatory Information**

TOXIC SUBSTANCE CONTROL ACT (TSCA) STATUS:

This product is in compliance with rules, regulations, and orders of TSCA. All components are either listed on the TSCA inventory or are considered exempt.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA) TITLE III SECTION 313 SUPPLIER NOTIFICATION:

This regulation requires submission of annual reports of toxic chemical(s) that appear in section 313 of the Emergency Planning and Community Right To Know Act of 1986 and 40 CFR 372. This information must be included in all SDS's that are copied and distributed for the material.

The Section 313 toxic chemicals contained in this product are: None

Product: IXL Manual Transmission Treatment SDS Page 5 of 6



#### **CALIFORNIA PROPOSITION 65:**

This regulation requires a warning for California Proposition 65 chemical(s) under the statute. The California proposition 65 chemical(s) contained in this product are: None

### STATE RIGHT-TO-KNOW TOXIC SUBSTANCE OR HAZARDOUS SUBSTANCE LIST:

Massachusetts's hazardous substance(s):

Pennsylvania hazardous substance code(s):

Not listed

Not listed

Not listed

Not listed

CANADA:

WHMIS-2015: This SDS is in compliance with WHMIS 2015 (HPR / new HPA)

## **Section 16: Other Information**

Initial issue date: September 15, 2015 Final revision date: September 15, 2015

Revision Number: 0

Revision explanation Initial version

Information Sources: RTECS, ECHA, REACH, OSHA 29CFR 1910.1200.

"Disclaimer: This document is generated to distribute health, safety and environmental data. It is not a specification sheet and none of the displayed data should be construed as a specification. Information on this SDS sheet was obtained from sources which we believe are reliable, and we believe that the information is complete and accurate. However, the information is provided without any warranty, express or implied, regarding its correctness. Some of the information presented and conclusions drawn are from sources other than direct test data of the substance. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may also be beyond our knowledge. It is the user's responsibility to determine the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. If the product is used as a component in another product, this SDS information may not be applicable. For these reasons, we do not assume any responsibility and expressly disclaim liability for any loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product."

